Pain 99 (2002) 619–621

PAIN

www.elsevier.nl/locate/pain

# Contents to Volume 99 (2002)

*Numbers 1,2 – September 2002*

**EDITORIAL**

Attention, novelty, and pain
F.A. Lenz, R.-D. Treede (USA, Germany) 1

**TOPICAL REVIEW**

Cancer pain at the end of life: a biopsychosocial perspective
L.M. Sutton, L.S. Porter, F.J. Keefe (USA) 5

**RESEARCH PAPERS**

Analgesic profile of intrathecal $P2X_3$ antisense oligonucleotide treatment in chronic inflammatory and neuropathic pain states in rats
P. Honore, K. Kage, J. Mikusa, A.T. Watt, J.F. Johnston, J.R. Wyatt, C.R. Faltynek, M.F. Jarvis, K. Lynch (USA) 11
Attentional modulation of the nociceptive processing into the human brain: selective spatial attention, probability of stimulus occurrence, and target detection effects on laser evoked potentials
V. Legrain, J.-M. Guérit, R. Bruyer, L. Plaghki (Belgium) 21
Sensory dysfunction in burning mouth syndrome
H. Forssell, S. Jääskeläinen, O. Tenovuo, S. Hinkka (Finland) 41
Enhanced temporal summation of second pain and its central modulation in fibromyalgia patients
D.D. Price, R. Staud, M.E. Robinson, A.P. Mauderli, R. Cannon, C.J. Vierck (USA) 49
Trigeminal c-Fos expression and behavioral responses to pulpal inflammation in ferrets
S.C. Chattipakorn, A. Sigurdsson, A.R. Light, M. Narhi, W. Maixner (USA, Finland) 61
Antinociceptive effect of cardiopulmonary chemoreceptor and baroreceptor reflex activation in the rat
C. Sévoz-Couche, M. Hamon, R. Laguzzi (France) 71
Immediate effects of dry needling and acupuncture at distant points in chronic neck pain: results of a randomized, double-blind, sham-controlled crossover trial
D. Irnich, N. Behrens, J.M. Gleditsch, W. Stör, M.A. Schreiber, P. Schöps, A.J. Vickers, A. Beyer (Germany, USA) 83
Blinding effectiveness and association of pretreatment expectations with pain improvement in a double-blind randomized controlled trial
J.A. Turner, M.P. Jensen, C.A. Warms, D.D. Cardenas (USA) 91
Postsurgical pain outcome assessment
M.P. Jensen, C. Chen, A.M. Brugger (USA) 101
VR1, but not $P2X_3$, increases in the spared L4 DRG in rats with L5 spinal nerve ligation
T. Fukuoka, A. Tokunaga, T. Tachibana, Y. Dai, H. Yamanaka, K. Noguchi (Japan) 111
Expression of neurotrophic factors in the dorsal root ganglion in a rat model of lumbar disc herniation
K. Obata, H. Tsujino, H. Yamanaka, D. Yi, T. Fukuoka, N. Hashimoto, K. Yonenobu, H. Yoshikawa, K. Noguchi (Japan) 121
5-HT2A receptor subtype in the peripheral branch of sensory fibers is involved in the potentiation of inflammatory pain in rats
K. Okamoto, H. Imbe, Y. Morikawa, M. Itoh, M. Sekimoto, K. Nemoto, E. Senba (Japan) 133
Inward currents in primary nociceptive neurons of the rat and pain sensations in humans elicited by infrared diode laser pulses
W. Greffrath, M.I. Nemenov, S. Schwarz, U. Baumgärtner, H. Vogel, L. Arendt-Nielsen, R.-D. Treede (Germany, Russia, Denmark) 145
Systematic review of randomised controlled trials of psychological therapy for chronic pain in children and adolescents, with a subset meta-analysis of pain relief
C. Eccleston, S. Morley, A. Williams, L. Yorke, K. Mastroyannopoulou (UK) 157
A mouse model of neuropathic cancer pain
M. Shimoyama, K. Tanaka, F. Hasue, N. Shimoyama (Japan) 167
Partial sciatic nerve ligation induces increase in the phosphorylation of extracellular signal-regulated kinase (ERK) and c-Jun N-terminal kinase (JNK) in astrocytes in the lumbar spinal dorsal horn and the gracile nucleus
W. Ma, R. Quirion (Canada) 175
Wound sensitivity as a measure of analgesic effects following surgery in human neonates and infants
K. Andrews, M. Fitzgerald (UK) 185

Pain and negative emotions in the face: judgements by health care professionals
J. Kappesser, A.C.d.C. Williams (UK) 197
Naloxone increases pain induced by topical capsaicin in healthy human volunteers
W.S. Anderson, R.N. Sheth, B. Bencherif, J.J. Frost, J.N. Campbell (USA) 207
Differential effects of spinal CNQX on two populations of dorsal horn neurons responding to colorectal distension in the rat
Y. Ji, R.J. Traub (USA) 217
Anger and pain sensitivity in chronic low back pain patients and pain-free controls: the role of endogenous opioids
S. Bruehl, J.W. Burns, O.Y. Chung, P. Ward, B. Johnson (USA) 223
Magnesium bier's block for treatment of chronic limb pain: a randomised, double-blind, cross-over study
M.R. Tramèr, C.J. Glynn (Switzerland, UK) 235
Response of neurons in the thalamic nucleus submedius (Sm) to noxious stimulation and electrophysiological identification of on- and off-cells in rats
J.-J. Fu, J.-S. Tang, B. Yuan, H. Jia (People's Republic of China) 243
Sensory stimulation (TENS): effects of parameter manipulation on mechanical pain thresholds in healthy human subjects
L.S. Chesterton, P. Barlas, N.E. Foster, T. Lundeberg, C.C. Wright, G.D. Baxter (UK, Sweden) 253
No detectable analgesic effects in the formalin test even with one million bovine adrenal chromaffin cells
A.G. Gulwadi, M.R. Hoane, J.A. Saydoff, B.R. Frydel, M.D. Lindner (USA) 263
Dopamine D2 receptor binding in the human brain is associated with the response to painful stimulation and pain modulatory capacity
N. Hagelberg, I.K. Martikainen, H. Mansikka, S. Hinkka, K. Någren, J. Hietala, H. Scheinin, A. Pertovaara (Finland) 273
Pain in children with cerebral palsy: common triggers and expressive behaviors
K.L. Hadden, C.L. von Baeyer (Canada) 281
A confirmatory factor analysis of the Beck Depression Inventory in chronic pain
S. Morley, A.C.d.C. Williams, S. Black (UK) 289
The course of chronic pain in the community: results of a 4-year follow-up study
A.M. Elliott, B.H. Smith, P.C. Hannaford, W.C. Smith, W.A. Chambers (UK) 299
Pain in traumatic upper limb amputees in Sierra Leone
P.A. Lacoux, I.K. Crombie, W.A. Macrae (France, UK) 309
Subcortical structures involved in pain processing: evidence from single-trial fMRI
U. Bingel, M. Quante, R. Knab, B. Bromm, C. Weiller, C. Büchel (Germany) 313
Assessment of the reproducibility of intradermal administration of capsaicin as a model for inducing human pain
A. Hughes, A. Macleod, J. Growcott, I. Thomas (UK) 323
Micromolar lidocaine selectively blocks propagating ectopic impulses at a distance from their site of origin
N. Persaud, G.R. Strichartz (USA) 333
Comparative study of electronic vs. paper VAS ratings: a randomized, crossover trial using healthy volunteers
R.N. Jamison, R.H. Gracely, S.A. Raymond, J.G. Levine, B. Marino, T.J. Herrmann, M. Daly, D. Fram, N.P. Katz (USA) 341
Psychometric properties of the non-communicating children's pain checklist-revised
L.M. Breau, P.J. McGrath, C.S. Camfield, G.A. Finley (Canada) 349
Reduced basal release of serotonin from the ventrobasal thalamus of the rat in a model of neuropathic pain
V.M. Goettl, Y. Huang, K.V. Hackshaw, R.L. Stephens Jr. (USA) 359
Pain catastrophizing and general health status in a large Dutch community sample
R. Severeijns, M.A. van den Hout, J.W.S. Vlaeyen, H.S.J. Picavet (The Netherlands) 367

*Number 3 – October 2002*

**TOPICAL REVIEW**

Long-term effects of neonatal pain on nociceptive systems
M.S. Lidow (USA) 377

**RESEARCH PAPERS**

Patient-related barriers to pain management: the barriers questionnaire II (BQ-II)
S. Gunnarsdottir, H.S. Donovan, R.C. Serlin, C. Voge, S. Ward (USA) 385
Efficacy of systemic morphine suggests a fundamental difference in the mechanisms that generate bone cancer vs. inflammatory pain
N.M. Luger, M.A.C. Sabino, M.J. Schwei, D.B. Mach, J.D. Pomonis, C.P. Keyser, M. Rathbun, D.R. Clohisy, P. Honore, T.L. Yaksh, P.W. Mantyh (USA) 397
Effect of intrathecal octreotide on thermal hyperalgesia and evoked spinal c-Fos expression in rats with sciatic constriction injury
Y.-C. Tsai, E.C. So, H.-H. Chen, L.-K. Wang, C.-H. Chien (Taiwan) 407
Orofacial pain-related communication patterns: sex and residential setting differences among community-dwelling adults
J.L. Riley III, G.H. Gilbert, M.W. Heft (USA) 415
Acupuncture analgesia in a new rat model of ankle sprain pain
S.T. Koo, Y.I. Park, K.S. Lim, K. Chung, J.M. Chung (USA) 423
Controlled dilatation of the uterine cervix – an experimental visceral pain model
P. Bajaj, A.M. Drewes, H. Gregersen, P. Petersen, H. Madsen, L. Arendt-Nielsen (Denmark) 433
A comparison of placebo effects in clinical analgesic trials versus studies of placebo analgesia
L. Vase, J.L. Riley III, D.D. Price (Denmark, USA) 443
Orofacial pain: just another chronic pain? Results from a population-based survey

T.V. Macfarlane, A.S. Blinkhorn, R.M. Davies, P. Ryan, H.V. Worthington, G.J. Macfarlane (UK, Australia) 453
Catastrophizing is related to pain ratings, but not nociceptive flexion reflex threshold
C.R. France, J.L. France, M. al'Absi, C. Ring, D. McIntyre (USA, UK) 459
Randomized controlled trial of botulinum toxin A for chronic myogenous orofacial pain
D.R. Nixdorf, G. Heo, P.W. Major (Canada) 465
Tissue glucose level modulates the mechanical responses of cutaneous nociceptors in streptozotocin-diabetic rats but not normal rats in vitro
Y. Suzuki, J. Sato, M. Kawanishi, K. Mizumura (Japan) 475
Fear-avoidance beliefs and catastrophizing: occurrence and risk factor in back pain and ADL in the general population
N. Buer, S.J. Linton (Sweden) 485
Increases in the phosphorylation of cyclic AMP response element binding protein (CREB) and decreases in the content of calcineurin accompany thermal hyperalgesia following chronic constriction injury in rats
G. Miletic, M.T. Pankratz, V. Miletic (USA) 493
Elastoviscous substances with analgesic effects on joint pain reduce stretch-activated ion channel activity in vitro
E. de la Peña, S. Sala, J.C. Rovira, R.F. Schmidt, C. Belmonte (Spain) 501
The effect of high and low frequency electroacupuncture in pain after lower abdominal surgery
J.-G. Lin, M.-W. Lo, Y.-R. Wen, C.-L. Hsieh, S.-K. Tsai, W.-Z. Sun (Taiwan, ROC) 509
Chronic pain in a biracial population of young women
O. Plesh, P.B. Crawford, S.A. Gansky (USA) 515
Excitatory amino acid receptor antagonists and electroacupuncture synergetically inhibit carrageenan-induced behavioral hyperalgesia and spinal fos expression in rats
Y.-Q. Zhang, G.-C. Ji, G.-C. Wu, Z.-Q. Zhao (China) 525
The glycine/NMDA receptor antagonist (+)-HA966 enhances the peripheral effect of morphine in neuropathic rats
V. Martinez, D. Christensen, V. Kayser (France) 537
Topical cannabinoid agonist, WIN55,212-2, reduces cornea-evoked trigeminal brainstem activity in the rat
D.A. Bereiter, D.F. Bereiter, H. Hirata (USA) 547
Gabapentin in neuropathic pain syndromes: a randomised, double-blind, placebo-controlled trial
M.G. Serpell, Neuropathic Pain Study Group (UK) 557
Application of a pro-inflammatory agent to the orbital portion of the rat infraorbital nerve induces changes indicative of ongoing trigeminal pain
R. Benoliel, A. Wilensky, M. Tal, E. Eliav (Israel) 567
Does acupuncture improve the orthopedic management of chronic low back pain – a randomized, blinded, controlled trial with 3 months follow up
A.F. Molsberger, J. Mau, D.B. Pawelec, J. Winkler (Germany) 579
Pain activation of human supraspinal opioid pathways as demonstrated by [$^{11}$C]-carfentanil and positron emission tomography (PET)
B. Bencherif, P.N. Fuchs, R. Sheth, R.F. Dannals, J.N. Campbell, J.J. Frost (USA) 589

**CLINICAL NOTE**

Phase I safety assessment of intrathecal ketorolac
J.C. Eisenach, R. Curry, D.D. Hood, T.L. Yaksh (USA) 599

**LETTERS TO THE EDITOR**

Is tooth extraction a good model for dental pain? a critic to Sabino et al. (Pain 2002;95:175–86)
J.W. Hu (Canada) 605
Letter in reply to letter to the editor (''Is tooth extraction a good model for dental pain?'')
M.A.C. Sabino, P.W. Mantyh (USA) 606
Comment on: Doverty et al., Hyperalgesic responses in methadone maintenance patients (Pain 2001;90;91–6)
J.D. Clark (USA) 608
Reply to Dr. Clark's comment on Doverty et al., hyperalgesic responses in methadone maintenance patients (Pain 2001;90:91–96)
M. Doverty, J.M. White, A.A. Somogyi, F. Bochner, R. Ali, W. Ling (Australia, USA) 609

**ERRATUM**

Erratum to 'Nerve injury induces plasticity that results in spinal inhibitory effects of galanin' (Pain 2002;98:249–58)
S.J.L. Flatters, A.J. Fox, A.H. Dickenson (UK) 611

**Author Index to Volume 99** 615
**Contents to Volume 99** 619